

# Safety Data Sheet

### 1. Identification

**Product identifier** MI-GLOW® 634

Other means of identification Not available.

Recommended use Non-destructive testing.

**Recommended restrictions** None known.

Manufacturer / Importer / Supplier / Distributor information

Circle Systems, Inc. Company name 479 West Lincoln Ave. **Address** 

P.O Box 1228 Hinckley, IL 60520

**Telephone** 815-286-3271

E-mail customerservice@circlesafe.com

**Emergency phone number** Chem-tel 800-255-3924

### 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2

> Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

**OSHA** defined hazards

Label elements



Not classified.

Signal word

**Hazard statement** Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

**Precautionary statement** 

Prevention Wash thoroughly after handling. Avoid breathing mist or vapor. Use only outdoors or in a well-

ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response If in eyes; Rinse cautiously with water for several minutes. Remove contact lenses, if present and

> easy to do. Continue rinsing. If eye irritation persists; Get medical advice/attention. If on skin; Wash with plenty of water. If skin irritation occurs; Get medical advice/attention. Take off contaminate clothing and wash before reuse. If inhaled; Remove person to fresh air and keep comfortable for

breathing. Call a poison center/doctor if you feel unwell.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Iron Oxide	1317-61-9	< 20
Sodium Tripolyphosphate	7758-29-4	< 45
Tetrasodium pyrophosphate	7722-88-5	< 5

MI-GLOW® 634 SDS US 1/6

916036 Version #: 01 Revision date: -Issue date: 7-July-2014

Butendioic acid, sulfo-1,4-bis(2-ethylhexyl) ester sodium salt	577-11-7	< 5
Alcohols, C12-14 ethoxylated, propoxylated	68439-51-0	< 5

### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician

if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Direct contact with skin and eyes may cause irritation.

Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

None known.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk.

General fire hazards No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch or walk through spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for Containment and cleaning up Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Flush area with plenty of water. For waste disposal, see Section 13 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Avoid breathing mist/vapors/spray. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

SDS US MI-GLOW® 634 2/6

# 8. Exposure controls/personal protection

### Occupational exposure limits

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Components	Туре	Value	Form
Tetrasodium pyrophosphate (CAS# 7722-88-5)	TWA	5 mg/m3	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

evewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Other Wear suitable protective clothing

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Physical state Solid **Form** Powder Color Red

Odor Detergent like. Odor threshold Not available.

8 - 10

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit – upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density 0.8(68 °F (20 °C)) Solubility(ies) Soluble in water. Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available.

MI-GLOW® 634 SDS US 916036 Version #: 01 Revision date: -Issue date: 7-July-2014 3/6 **Viscosity** Not available.

Other information

VOC (Weight %) Not applicable.

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

Hazardous decomposition

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

products

No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard... Inhalation May cause irritation to the respiratory system.

Skin contact May cause skin irritation. **Eve contact** Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological effects

Acute toxicity Ingestion of large quantities may cause irritation, nausea, vomiting, diarrhea, bluish-purple

Dusts or powder may irritate the respiratory tract, skin, and eyes.

discoloration of skin, decreased blood pressure, decreased heart rate, coma.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization No data available. Skin sensitization No data available. Germ cell mutagenicity No data available.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity Not available Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity –

repeated exposure

No data available.

**Aspiration hazard** No data available.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Test Results** Components Species

Butendioic acid, sulfo-1,4-bis(2-ethylhexyl) ester sodium salt (CAS 577-11-7)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 20-40 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available for this product.

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

MI-GLOW® 634 SDS US 4/6

# 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to

Not available.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

U S federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard Categories** Immediate Hazard - Yes

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** 

Not listed

hazardous substance

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

**CAS** number **Chemical Name** % by wt. Formaldehyde 50-00-0 < 0.1

#### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

**US state regulations** 

#### **US. Massachusetts RTK - Substance List**

Tetrasodium pyrophosphate (CAS# 7722-88-5)

MI-GLOW® 634 SDS US 916036 Version #: 01 Revision date: -Issue date: 7-July-2014

### US. New Jersey Worker and Community Right-to-Know Act

Tetrasodium pyrophosphate (CAS# 7722-88-5)

### US. Pennsylvania RTK - Hazardous Substances

Tetrasodium pyrophosphate (CAS# 7722-88-5)

#### **US. Rhode Island RTK**

Not regulated.

### **US. California Proposition 65**

WARNING: This product does contain a chemical know to the State of California to cause cancer.

### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Formaldehyde (50-00-0)

# **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory
\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date 7-July-2014

Revision date - 01

**NFPA Ratings** 



**List of abbreviations** LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%. TWA: Time weighted average

References HSDB® - Hazardous Substances Data Bank

**Disclaimer** The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

Yes

warranty express or implied.

MI-GLOW® 634 SDS US 916036 Version #: 01 Revision date: - Issue date: 7-July-2014 6 / 6

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).