

Safety Data Sheet

1. Identification

Product identifier MI-GLOW® 820S-RTU

Other means of identification Not available.

Recommended useNon-destructive testing.

Recommended restrictions None known.

Manufacturer / Importer / Supplier / Distributor information

Company name

Address

Circle Systems, Inc.

479 West Lincoln Ave.
P.O. Roy 1228

P.O Box 1228 Hinckley, IL 60520

Telephone 815-286-3271

E-mail customerservice@circlesafe.com

Emergency phone number Chem-tel 800-255-3924

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Reproductive toxicity (fertility, the unborn Category 1B

child)

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes serious eye irritation. May damage fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If exposed or concerned: Get medical advice/attention. If in eyes: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

3. Composition/information on ingredients

Mixtures

| Chemical name | CAS number | % |
|--|------------|-----|
| Boric acid | 10043-35-3 | < 5 |
| Iron Oxide | 1317-61-9 | < 1 |
| Butendioic acid, sulfo-1,4-bis(2-ethylhexyl) ester sodium salt | 577-11-7 | < 1 |

MI-GLOW® 820S-RTU SDS US 916036 Version #: 01 Revision date: - Issue date: 16-June-2014 1 / 7

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician

if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

> Get medical attention if symptoms occur. Irritation of eyes and mucous membranes.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. IF exposed or concerned: Get medical advice/attention.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire-fighting equipment/instructions Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

None known.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch or walk through spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear appropriate personal protective equipment. Avoid contact with eyes, skin, and clothing. Avoid breathing mist/vapors/spray. Use with adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the MSDS).

MI-GLOW® 820S-RTU SDS US

916036 Version #: 01 Issue date: 16-June-2014 Revision date: -

2/7

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

| Components | Туре | Value | Form |
|--------------------------------|------|---------|---------------------|
| Boric acid (CAS 10043-35-3) | STEL | 6 mg/m3 | Inhalable fraction. |
| | TWA | 2 mg/m3 | Inhalable fraction. |

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical stateLiquid.FormLiquid.ColorBlack

Odor Detergent like.
Odor threshold Not available.

pH 8 - 10

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point

Evaporation rate

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit – lower

(%)

Not available.

Flammability limit – upper

Not available.

(%)

Not available.

Explosive limit – lower (%)
Explosive limit – upper (%)

Not available.

Vapor pressure

Not available. Not available.

Vapor density
Relative density

Solubility(ies)

1.5 (68 °F (20 °C)) Soluble in water.

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

MI-GLOW® 820S-RTU

Viscosity Not available.

Other information

VOC (Weight %) Not applicable.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

Hazardous decomposition

Conditions to avoid

reactions

No dangerous reaction known under conditions of normal use.

Contact with incompatible materials. Incompatible materials

Strong oxidizing agents.

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard... Inhalation May cause irritation to the respiratory system.

Skin contact May cause skin irritation. **Eve contact** Causes eye irritation.

Symptoms related to the Irritation of eyes and mucous membranes. physical, chemical and

toxicological characteristics Information on toxicological effects

Acute toxicity

Test Results Components **Species**

Boric acid (CAS 10043-35-3)

Acute Demal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 2660 mg/kg

Butendioic acid, sulfo-1,4-bis(2-ethylhexyl) ester sodium salt (CAS 577-11-7)

Acute

Oral

LD50 Mouse 2.64 g/kg

Iron (CAS 7439-89-6)

Acute

Oral

LD50 Rat 30 g/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitization No data available. Skin sensitization No data available. Germ cell mutagenicity No data available.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

May damage fertility or the unborn child. Reproductive toxicity

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

No data available.

repeated exposure **Aspiration hazard**

No data available.

Chronic effects Prolonged inhalation may be harmful.

MI-GLOW® 820S-RTU SDS US 916036 Version #: 01 Revision date: -Issue date: 16-June-2014 4/7 12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

Boric acid (CAS 10043-35-3)

Aquatic

Fish LC50 Razorback sucker (Xyrauchen texanus) > 100 mg/l, 96 hours

Butendioic acid, sulfo-1,4-bis(2-ethylhexyl) ester sodium salt (CAS 577-11-7)

Aquatic

Fish Rainbow trout, donaldson trout 20-40 mg/l, 96 hours

(Oncorhynchus mykiss)

Iron (CAS 7439-89-6)

Aquatic

Fish LC50 Channel Catfish (Ictalurus >500 mg/l, 96 hours

punctatus)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available for this product.

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

5/7

emptied.

14. Transport information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

IMDG

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and

This substance/mixture is not intended to be transported in bulk.

the IBC Code

15. Regulatory information

U S federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

MI-GLOW® 820S-RTU SDS US

916036 Version #: 01 Revision date: - Issue date: 16-June-2014

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

No

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA) **US** state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

International Inventories Country(s) or region

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan . | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

916036 Version #: 01 Revision date: -Issue date: 16-June-2014 6/7

Yes

16. Other information, including date of preparation or last revision

Issue date 16-June-2014

Revision date - 01

NFPA Ratings



List of abbreviations LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%. TWA: Time weighted average

References HSDB® - Hazardous Substances Data Bank

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

MI-GLOW® 820S-RTU SDS US 916036 Version #: 01 Revision date: - Issue date: 16-June-2014 7 / 7