



Mi-Glow®



## Mi-Glow® 106

### Physical Characteristics

Black powder, odorless.

### Particle Certification

Particles meet or exceed all relevant industry specifications, including but not limited to ASTM E 1444, ASTM E 3024, AMS 3042, MIL-STD-271, NAVSEA 250-1500-1, NTR-1E. Certification is included with each shipment.

### Particle Color

Black

### Average Particle Size

1.5  $\mu\text{m}$

### AMS Standard

3042

### SAE Sensitivity\*

6

[\*Representative of the number of lines shown on a tool steel ring as defined in SAE AS5282.]

### Temperature Range

32-120°F (0-49°C)

### Related Product Information:

Safety Data Sheet

Technical Bulletin 183

### Item #

FG-2431

FG-2438

### Package Size

2 pounds/jar

30 pounds/pail

Mi-Glow® 106 is black particles for use with CircleSol M™, a refined petroleum distillate, or Wetting Agent 771, in a water system. It is designed to be used with visible light for finding discontinuities in finished products. Higher particle concentration provides heavier indication buildup for easy detection.



Circle Systems, Inc.  
rev 6/18

[www.circlesafe.com](http://www.circlesafe.com)

P.O. Box 1228, Hinckley, Illinois 60520

ph 815.286.3271 | fax 815.286.3352

email [customerservice@circlesafe.com](mailto:customerservice@circlesafe.com)