

SAFETY DATA SHEET

1. Identification

Product identifier	SIR-CHEM [®] DRY POWDER 66 YELLOW		
Other means of identification	Not available.		
Recommended use	Non-destructive testing.		
Recommended restrictions	None known.		
Manufacturer / Importer / Supplier / Distributor information			
Company name	Circle Systems, Inc.		
Address	1210 Osborne Road		
	St. Marys, GA 31558		
Telephone	912-729-2735		
E-mail	customerservice@circlesafe.com		
Emergency phone number	Chem-Tel 800-255-3924 (US & Canada); +1-813-248-0585 (International)		

2. Hazard(s) identification

Physical hazards	Not classified.		
Health hazards	Carcinogenicity.	Category 2	
OSHA defined hazards	Combustible dust.		
Label elements Hazard symbol			
Signal word	Warning.		
Hazard statement	Suspected of causing cancer.	May form combustible dust concentrations in air.	
Precautionary statement Prevention Response	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Prevent dust accumulation to minimize explosion hazard. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/ eye protection/face protection. Remove and wash contaminated clothing before re-use. In case of fire: Use appropriate media for extinction. If exposed or concerned: Get medical advice/attention.		
Storage	Store locked up. Store away f	rom incompatible materials.	
Disposal Hazard(s) not otherwise classified (HNOC)	Dispose of contents/container regulations. Not classified.	s in accordance with local/regional/national/international	
Supplemental information	Not applicable.		

3. Composition/information on ingredients

Mixtures		
Chemical name	CAS number	%
Iron Powder	7439-89-6	< 95
Iron Oxide	1317-61-9	< 5
Titanium Dioxide (alternative CAS # 1317-70-0)	13463-67-7	< 5

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Dust may cause eye, skin and respiratory tract irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Apply extinguishing media carefully to avoid creating airborne dust.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.
General fire hazards	Heat may cause the containers to explode. May form combustible dust concentrations in air.

6. Accidental release measures

C. Accidental release mee				
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Use only non-sparking tools. Wear appropriate personal protective equipment. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.			
Methods and materials for containment and cleaning up	ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).			
	Large Spills: Sweep or shovel up material and place in a clearly labeled container for waste. Following product recovery, flush area with water.			
	Small Spills: Collect dust using a vacuum cleaner equipped with HEPA filter.			
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.			
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.			
7. Handling and storage				
Procentions for sets bandling	Minimize dust generation and accumulation. Poutine housekeeping should be instituted to			

Minimize dust generation and accumulation. Routine housekeeping should be instituted to
ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity
charges when subjected to the friction of transfer and mixing operations. Provide adequate
precautions, such as electrical grounding and bonding, or inert atmospheres. Explosion proof
exhaust ventilation is recommended. Wear appropriate personal protective equipment.
Observe good industrial hygiene practices. Avoid prolonged exposure.

Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep away from heat, sparks and open flame.

8. Exposure controls/pe	ersonal protection		
Occupational exposure limits			
US OSHA Table Z-1 Limits	for Air Contaminants (29 CFR 1910.10	00)	
Components	Туре	Value	Form
Titanium Dioxide (alternative CAS # 1317-70-0) (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US ACGIH Threshold Limit	Values		
Components	Туре	Value	
Titanium Dioxide (alternative CAS # 1317-70-0) (CAS 13463-67-7)	TWA	10 mg/m3	
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Exposure guidelines	No exposure standards allocated.		
Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures Eye/face protection	res, such as personal protective equip Wear safety glasses with side shield		
Skin protection			
Hand protection	For prolonged or repeated skin contact use suitable protective gloves.		
Other	Wear suitable protective clothing.		
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.		
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
General hygiene considerations	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
9. Physical and chemical	properties		

9. Physical and chemical properties

Appearance		
Physical state	Solid.	
Form	Powder.	
Color	Yellow.	
Odor	Odorless	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	2795 °F (1535 °C)	
Initial boiling point and boiling range	Not available.	
Flash point	Not relevant.	
Evaporation rate	Not relevant.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit – lower (%)	Not relevant.	

Flammability limit – upper	Not relevant.		
(%) Explosive limit – lower (%)	Not available.		
Explosive limit – upper (%)	Not available.		
Vapor pressure	Not relevant.		
Vapor density	Not relevant.		
Specific gravity	2.5 (68 ° F (20 °C))		
Solubility(ies)	Insoluble in water.		
Partition coefficient	Not relevant.		
(n-octanol/water)			
Auto-ignition temperature	Not relevant		
Decomposition temperature	Not available.		
Viscosity	Not relevant.		
Other information			
VOC (Weight %)	Not applicable.		
10. Stability and reactivity			
Reactivity	The product is stable and non-reactive under no	rmal conditions of use, storage and transport.	
Chemical stability	Material is stable under normal conditions.		
Possibility of hazardous reactions	No dangerous reaction known under conditions	No dangerous reaction known under conditions of normal use.	
Conditions to avoid	Keep away from heat, sparks and open flame.	Ainimize dust generation and accumulation.	
Incompatible materials	Contact with incompatible materials. Strong oxidizing agents.		
Hazardous decomposition	No hazardous decomposition products are know	(D	
products	No fiazardous decomposition products are know	ЛІ.	
11. Toxicological information	on		
Information on likely routes of e	exposure		
Ingestion	Expected to be a low ingestion hazard.		
Inhalation	Inhalation of dusts may cause respiratory		
Skin contact	irritation. Dust or powder may irritate the skin.		
Eye contact	Dust may irritate the eyes.		
Symptome related to the	Dust may cause eye, skin and respiratory tract	irritation.	
Symptoms related to the physical, chemical and			
physical, chemical and toxicological characteristics	octs		
physical, chemical and toxicological characteristics Information on toxicological eff		or commercial handling by trained personnel	
physical, chemical and toxicological characteristics Information on toxicological eff Acute toxicity	Expected to be a low hazard for usual industrial		
physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Components		or commercial handling by trained personnel. Test Results	
physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Components Iron Powder (CAS 7439-89-6)	Expected to be a low hazard for usual industrial		
physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Components Iron Powder (CAS 7439-89-6) Acute	Expected to be a low hazard for usual industrial		
physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Components Iron Powder (CAS 7439-89-6) Acute Oral	Expected to be a low hazard for usual industrial Species	Test Results	
physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Components Iron Powder (CAS 7439-89-6) Acute Oral LD50 Titanium Dioxide (alternative CAS	Expected to be a low hazard for usual industrial Species		
physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Components Iron Powder (CAS 7439-89-6) Acute Oral LD50 Titanium Dioxide (alternative CAS Acute	Expected to be a low hazard for usual industrial Species	Test Results	
physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Components Iron Powder (CAS 7439-89-6) Acute Oral LD50 Titanium Dioxide (alternative CAS Acute Inhalation	Expected to be a low hazard for usual industrial Species Rat # 1317-70-0) (CAS 13463-67-7)	Test Results 30 g/kg	
physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Components Iron Powder (CAS 7439-89-6) Acute Oral LD50 Titanium Dioxide (alternative CAS Acute Inhalation LC50	Expected to be a low hazard for usual industrial Species	Test Results	
physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Components Iron Powder (CAS 7439-89-6) Acute Oral LD50 Titanium Dioxide (alternative CAS Acute Inhalation LC50 Oral	Expected to be a low hazard for usual industrial Species Rat # 1317-70-0) (CAS 13463-67-7) Rat	Test Results 30 g/kg > 2.28 mg/l, 4 Hours	
physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Components Iron Powder (CAS 7439-89-6) Acute Oral LD50 Titanium Dioxide (alternative CAS Acute Inhalation LC50 Oral LD50	Expected to be a low hazard for usual industrial Species Rat # 1317-70-0) (CAS 13463-67-7) Rat Rat	Test Results 30 g/kg > 2.28 mg/l, 4 Hours >11000 mg/kg	
physical, chemical and toxicological characteristics Information on toxicological effor Acute toxicity Components Iron Powder (CAS 7439-89-6) Acute Oral LD50 Titanium Dioxide (alternative CAS Acute Inhalation LC50 Oral LD50 Skin corrosion/irritation	Expected to be a low hazard for usual industrial Species Rat # 1317-70-0) (CAS 13463-67-7) Rat Rat Prolonged skin contact may cause temporary in	Test Results 30 g/kg > 2.28 mg/l, 4 Hours >11000 mg/kg ritation. Direct	
physical, chemical and toxicological characteristics Information on toxicological effe Acute toxicity Components Iron Powder (CAS 7439-89-6) Acute Oral LD50 Titanium Dioxide (alternative CAS Acute Inhalation LC50 Oral LD50	Expected to be a low hazard for usual industrial Species Rat # 1317-70-0) (CAS 13463-67-7) Rat Rat	Test Results 30 g/kg > 2.28 mg/l, 4 Hours >11000 mg/kg ritation. Direct	

Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	Suspected of causing cancer.
IARC Monographs. Overall E	
Titanium Dioxide (alternati	ve CAS # 1317-70-0) 2B Possibly carcinogenic to humans.
(CAS 13463-67-7) Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity –	Not classified.
single exposure	
Specific target organ toxicity –	Not classified.
repeated exposure	Not on conjustion beyond
Aspiration hazard	Not an aspiration hazard. Prolonged inhalation may be harmful.
Chronic effects	
12. Ecological information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the
Persistence and degradability	possibility that large or frequent spills can have a harmful or damaging effect on the environment. No data is available on the degradability of this product.
Bioaccumulative potential	No data available for this product.
Mobility in soil	Not available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation
Other adverse enects	potential, endocrine disruption, global warming potential) are expected from this component.
13. Disposal considerations	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Waste from residues / unused	Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of in accordance with local regulations. Empty containers or liners may
products	retain some product residues. This material and its container must be disposed of in a safe
•	manner (see: Disposal instructions).
14. Transport information	
DOT	
Not regulated as dangerous g	oods
IATA	
Not regulated as dangerous g	oods.
IMDG	
Not regulated as dangerous g	oods.
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and	
the IBC Code	
15. Regulatory information	
US federal regulations	This product is a 'Hazardous Chemical'' as defined by the OSHA Hazard Communication
	Standard, 29 CFR 1910.1200.
	All components are on the U.S. EPA TSCA Inventory List.
	otification (40 CFR 707, Subpt D)
Not regulated.	
	ted Substances (29 CFR 1910.1001-1050)
Not listed.	
CERCLA Hazardous Substan Not listed.	ce List (40 CFR 302.4)
Superfund Amendments and Re	authorization Act of 1986 (SARA)
Hazard Categories	Immediate Hazard – No
	Delayed Hazard – Yes
	Fire Hazard – Yes
	Pressure Hazard – No
	Pressure Hazard – No Reactivity Hazard – No

SARA 302 Extremely Not listed. hazardous substance SARA 311/312 Hazardous Yes chemical SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

US Massachusetts RTK - Substance List

Titanium Dioxide (alternative CAS # 1317-70-0) (CAS 13463-67-7)

US New Jersey Worker and Community Right-to-Know Act

Titanium Dioxide (alternative CAS # 1317-70-0) (CAS 13463-67-7)

US Pennsylvania RTK - Hazardous Substances

Titanium Dioxide (alternative CAS # 1317-70-0) (CAS 13463-67-7)

US Rhode Island RTK

Not regulated.

US California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Titanium Dioxide (alternative CAS # 1317-70-0) (CAS 13463-67-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical	Yes
	Substances (EINECS)	
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	29-October-2013
Revision date	14-February-2019
Version #	04
Further information	Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.
HMIS [®] ratings	Health: 1 Flammability: 1 Physical hazard: 0

NFPA Ratings



List of abbreviations	LC50: Lethal Concentration, 50% LD50: Lethal Dose, 50% PEL: Permissible exposure limit TWA: Time weighted average
References	HSDB [®] - Hazardous Substances Data Bank
Disclaimer	The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.