

SAFETY DATA SHEET

1. Identification

Product identifier MI-GLOW® WETTING AGENT 34

Other means of identification Not available.

Recommended use Non-destructive testing.

Recommended restrictions None known.

Manufacturer / Importer / Supplier / Distributor information

Company name Circle Systems, Inc.
Address 1210 Osborne Road

St. Marys GA 31558

Telephone 912-729-2735

E-mail customerservice@circlesafe.com

Emergency phone number Chem-Tel 800-255-3924 (US & Canada); +1-813-248-0585 (International)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazardsSkin corrosion/irritationCategory 2

Serious eye damage/eye irritation Category 2

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

OSHA defined hazards

Label elements



Not classified.

Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Avoid breathing mist or vapor. Use only outdoors or in a well-

ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for

breathing. Call a poison center/doctor if you feel unwell.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Sodium Tripolyphosphate	7758-29-4	< 85
Alcohols, C12-C14, Ethoxylated, Propoxylated	68439-51-0	< 10
Dioctyl Sodium Sulfosuccinate	577-11-7	< 5
Sodium carbonate	497-19-8	< 5
Tetrasodium pyrophosphate	7722-88-5	< 5

MI-GLOW® WETTING AGENT 34 SDS US

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician

if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed
General information

Direct contact with skin and eyes may cause irritation.

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters

None known.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Environmental precautions

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch or walk through spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Flush area with plenty of water. For waste disposal, see Section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Avoid breathing mist/vapors/spray. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials, see Section 10 of the SDS.

8. Exposure controls/personal protection

Occupational exposure limits

US NIOSH: Pocket Guide to Chemical Hazards

ComponentsTypeValueTetrasodium pyrophosphateTWA5 mg/m3

(CAS 7722-88-5)

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

2/6

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. Physical state

Form White powder.

Color White.

Odor Detergent like. **Odor threshold** Not available. 8 - 9.5

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Not relevant. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available. Not available.

0.9 (68 °F (20 °C))

Flammability limit - upper

Explosive limit – lower (%) Not available. Explosive limit – upper (%) Not available. Not available. Vapor pressure Vapor density Not available.

Specific Gravity Solubility(ies)

> Solubility (water) Completely soluble.

Partition coefficient Not available. (n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. **Viscosity**

Other information

VOC (Weight %) Not available.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

No dangerous reaction known under conditions of normal use.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous reactions

Contact with incompatible materials.

Conditions to avoid Strong oxidizing agents.

Incompatible materials

No hazardous decomposition products are known. Hazardous decomposition products

MI-GLOW® WETTING AGENT 34

11. Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard. Inhalation May cause irritation to the respiratory system.

Skin contact May cause skin irritation. Eve contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological effects

Dusts or powder may irritate the respiratory tract, skin and eyes.

Ingestion of large quantities may cause irritation, nausea, vomiting, diarrhea, bluish-purple Acute toxicity

discoloration of skin, decreased blood pressure, decreased heart rate, coma.

Skin corrosion/irritation Causes skin irritation.

Serious eve damage/eve

irritation

Respiratory sensitization No data available. Skin sensitization No data available. Germ cell mutagenicity No data available.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Causes serious eve irritation.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

No data available.

No data available.

Not available.

No data available.

Aspiration hazard

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available for this product.

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of in accordance with local regulations. Empty containers or liners may retain some

Waste from residues / unused products

product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

MI-GLOW® WETTING AGENT 34 SDS US

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium Tripolyphosphate (CAS 7758-29-4) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard – Yes

Delayed Hazard – No Fire Hazard – No Pressure Hazard – No Reactivity Hazard – No

SARA 302 Extremely

Not listed.

hazardous substance

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US Massachusetts RTK - Substance List

Sodium Tripolyphosphate (CAS 7758-29-4) Tetrasodium pyrophosphate (CAS 7722-88-5)

US New Jersey Worker and Community Right-to-Know Act

Tetrasodium pyrophosphate (CAS 7722-88-5)

US PennsylvaniaWorker and Community Right-to-Know Law

Sodium Tripolyphosphate (CAS 7758-29-4) Tetrasodium pyrophosphate (CAS 7722-88-5)

US Rhode Island RTK

Sodium Tripolyphosphate (CAS 7758-29-4)

US California Proposition 65

This material is not known to contain any chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No

Europea List of Notified Chemical Substances (ELINCS)

MI-GLOW® WETTING AGENT 34 SDS US

No

Inventory of Existing and New Chemical Substances (ENCS) Yes Japan Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes (PICCS)

Toxic Substances Control Act (TSCA) Inventory *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

02-March-2015 Issue date **Revision date** 21-June-2023

Version # 03

United States & Puerto Rico

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0

NFPA Ratings



List of abbreviations TWA: Time weighted average

References HSDB® - Hazardous Substances Data Bank

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

MI-GLOW® WETTING AGENT 34 SDS US

Yes